

TOPDECK



Hybrid
Planks



SHERWOOD OAK (1706)

CONTENTS

DISCOVER HYBRID PLANKS	02-03
Strength & Style in Perfect Harmony	02
AVALA	04-07
About	05
Colour Range (1601 - 1610)	05-06
Technical Specifications	07
LUMIÈRE ULTRA HD	08-11
About	09
Colour Range (1701 - 1712)	09-10
Technical Specifications	11
BELLE VIË HERRINGBONE	12-15
About	13
Colour Range (1901 - 1912)	13-14
Technical Specifications	15
STORM LUXURY	16-19
About	17
Colour Range (3301 - 3312)	17-18
Technical Specifications	19
ARTISAN TILE	20-23
About	21
Colour Range (1201 - 1212)	21-22
Technical Specifications	23
OUR STORY	24-25

Hybrid Planks

Hybrid Planks combine the authentic beauty of natural timber and stone with the strength of advanced **SPC rigid core technology**. Designed for Australian lifestyles, each plank is **100% waterproof**, stable in all conditions, and resistant to scratches, dents, and daily wear — making it a reliable choice for both busy households and commercial spaces.

The collection spans an extensive range of formats and finishes, from the timeless elegance of wide timber planks to the sophistication of herringbone patterns and the natural appeal of stone-inspired designs. Crafted with precision décor printing and surface texturing, each option captures the depth, tone, and detail of real materials while offering warmth, comfort, and practicality that traditional surfaces cannot match.

Engineered with innovation at its core, Hybrid Planks feature easy click-lock installation, integrated acoustic underlays, and advanced coatings for superior performance underfoot. Select ranges also incorporate **Negative Ion Technology**, which helps improve air quality and wellbeing, setting a new benchmark for healthier living environments.

With a broad spectrum of colours, textures, and patterns, Hybrid Planks provide unmatched design flexibility. Whether the goal is contemporary sophistication, classic charm, or bold statement flooring, the collection delivers seamless solutions that elevate every space.



OXFORD OAK (3309)



Hybrid Planks
Avala

SPOTTED GUM (1607)

Hybrid Planks

Avala

Avala Hybrid Planks offer a perfect balance of elegance and durability, designed for both residential and commercial use. Featuring advanced surface protection, waterproof performance, and dimensional stability, they stand up to daily wear and tear with ease. Their wide plank format and realistic timber textures create a sophisticated foundation for any space.



Pebble Grey (1601)



Orchid Ash (1602)



Stamford Oak (1603)



Coastal Beige (1604)



Prague Oak (1605)



Moschino (1606)



Spotted Gum (1607)



Blackbutt (1608)



Jarrah (1609)



Tasmanian Oak (1610)

Technical Specifications

TYPE

Avala Hybrid Planks

DIMENSIONS

1524 x 183 x 6.5mm

2.2311m² / 8pcs / box or

1524 x 230 x 6.5mm

2.10312m² / 6pcs / box

(5/0.5mm SPC + 1.5mm IXPE)

PROFILE

Floating Floor (Licensed Click System)

FIRE RATING

CHF - Passed the AS ISO 9239.1 Standard as required by the Australian National Construction Code.

SLIP RATING

AS4586 (2013) Slip Resistance Classification of New Pedestrian Surface Materials
Appendix A - Wet Pendulum Test
Achieved a Pass of P4

ACOUSTIC RATING

Achieved AAAC 5 Star Acoustic Rating


ENVIRONMENTAL & QUALITY CERTIFICATES

VOC EO (Volatile Organic Compound)
ISO9000 Quality Control System and
ISO14000 Environment Control System

STRUCTURAL WARRANTY *

Lifetime Structural Warranty

STRUCTURE



DISCLAIMERS

* For full details, terms, and conditions, please refer to the official warranty documents available on our website.

Combining quality and environmental control standards throughout the manufacturing process — creating truly Elevated Spaces.



International
Organization for
Standardization





Hybrid Planks
Lumiere Ultra HD

LOVANNA OAK (1701)

Hybrid Planks Lumière Ultra HD

Lumière Ultra HD Hybrid Planks bring together timeless timber beauty with the strength of SPC rigid core construction. They are 100% waterproof, scratch-resistant, and built with acoustic underlay for quieter, more comfortable living. With easy click-lock installation and a wide range of natural finishes, they deliver effortless style and performance.



Lovanna Oak (1701)



Bellevue Avenue (1702)



Winchester Oak (1703)



Manor Ridge Oak (1704)



Cayman Oak (1705)



Sherwood Oak (1706)



Spotted Gum (1707)



Blackbutt (1708)



Highland Beige Oak (1709)



Lake View Oak (1710)



South Grove Oak (1711)



Weathered Grey Oak (1712)

Technical Specifications

TYPE

Lumière Ultra HD Hybrid Planks

DIMENSIONS

1524 x 230 x 7mm
2.10312m² / 6pcs / box

(5.5/0.5mm SPC + 1.5mm IXPE)

PROFILE

Floating Floor (Licensed Click System)

FIRE RATING

CHF - Passed the AS ISO 9239.1 Standard as required by the Australian National Construction Code.

SLIP RATING

AS4586 (2013) Slip Resistance Classification of New Pedestrian Surface Materials
Appendix A - Wet Pendulum Test
Achieved a Pass of P4

ACOUSTIC RATING

Achieved AAAC 6 Star Acoustic Rating


ENVIRONMENTAL & QUALITY CERTIFICATES

VOC EO (Volatile Organic Compound)
ISO9000 Quality Control System and
ISO14000 Environment Control System

STRUCTURAL WARRANTY *

Lifetime Structural Warranty

STRUCTURE



DISCLAIMERS

* For full details, terms, and conditions, please refer to the official warranty documents available on our website.

Combining quality and environmental control standards throughout the manufacturing process — creating truly Elevated Spaces.



International
Organization for
Standardization





Hybrid Planks
Belle Vie

LOVANNA OAK (1901)

Hybrid Planks

Belle Vië Herringbone

Belle Vië Herringbone Hybrid combines the elegance of European herringbone design with the practicality of modern hybrid flooring. Its rigid core structure ensures stability, waterproof performance, and easy click-lock installation. Finished with ultra-matte coatings and detailed texturing, it offers authentic timber style in a contemporary, versatile format.



Lovanna Oak (1901)



Bellevue Avenue (1902)



Winchester Oak (1903)



Manor Ridge Oak (1904)



Cayman Oak (1905)



Sherwood Oak (1906)



Spotted Gum (1907)



Blackbutt (1908)



Highland Beige Oak (1909)



Lake View Oak (1910)



South Grove Oak (1911)



Weathered Grey Oak (1912)

Technical Specifications

TYPE

Belle Vië Herringbone Hybrid

DIMENSIONS

625 x 125 x 7mm

1.40625m² / 18pcs / box

(5.5/0.5mm SPC + 1.5mm IXPE)

PROFILE

Floating Floor (5G Click System)

FIRE RATING

CHF - Passed the AS ISO 9239.1 Standard as required by the Australian National Construction Code.

SLIP RATING

AS4586 (2013) Slip Resistance Classification of New Pedestrian Surface Materials
Appendix A - Wet Pendulum Test
Achieved a Pass of P3

ACOUSTIC RATING

Achieved AAAC 6 Star Acoustic Rating


ENVIRONMENTAL & QUALITY CERTIFICATES

VOC EO (Volatile Organic Compound)
ISO9000 Quality Control System and
ISO14000 Environment Control System

STRUCTURAL WARRANTY *

Lifetime Structural Warranty

STRUCTURE



DISCLAIMERS

* For full details, terms, and conditions, please refer to the official warranty documents available on our website.

Combining quality and environmental control standards throughout the manufacturing process — creating truly Elevated Spaces.



International
Organization for
Standardization





Hybrid Planks
Storm Luxury

SPOTTED GUM (3308)

Hybrid Planks Storm Luxury

Storm Luxury Hybrid Planks deliver robust SPC rigid core technology with a natural timber look that is 100% waterproof. Enhanced with Negative Ion Technology, they not only perform under pressure but also contribute to healthier indoor air quality. With superior scratch resistance and integrated acoustic layers, they are engineered for busy Australian lifestyles.



Royal White Oak (3301)



Modern Ice Grey (3302)



Askada Grey Wash (3303)



Loft Oak (3304)



Vintage Cambridge Oak (3305)



Vintage Evian Oak (3306)



Coastal Blackbutt (3307)



Spotted Gum (3308)



Oxford Oak (3309)



Vienna Oak (3310)



NSW Spotted Gum (3311)



New England Blackbutt (3312)

Technical Specifications

TYPE

Storm Luxury Hybrid Planks

STRUCTURAL WARRANTY *

Lifetime Structural Warranty

DIMENSIONS

1800 x 225 x 7mm
2.025m² / 5pcs / box

(5.5/0.5mm SPC + 1.5mm IXPE)

DISCLAIMERS

* For full details, terms, and conditions, please refer to the official warranty documents available on our website.

PROFILE

Floating Floor (5G Click System)

FIRE RATING

CHF - Passed the AS ISO 9239.1 Standard as required by the Australian National Construction Code.

SLIP RATING

AS4586 (2013) Slip Resistance Classification of New Pedestrian Surface Materials
Appendix A - Wet Pendulum Test
Achieved a Pass of P3

ACOUSTIC RATING

Achieved AAAC 5 Star Acoustic Rating

ENVIRONMENTAL & QUALITY CERTIFICATES

VOC EO (Volatile Organic Compound)
ISO9000 Quality Control System and
ISO14000 Environment Control System

Combining quality and environmental control standards throughout the manufacturing process — creating truly Elevated Spaces.



International
Organization for
Standardization





Hybrid Planks
Artisan Tile

VOLCANO (1210)

Hybrid Planks Artisan Tile

Artisan Hybrid Tiles capture the luxurious look of natural stone in a warmer, softer, and more comfortable format. Built with a rigid composite core, they are completely waterproof, indentation-resistant, and dimensionally stable. Available in a curated range of stone designs, they combine beauty with practicality for modern interiors.



Calcatta (1201)




Grigio (1202)



Monaco Brown (1203)



Pietra Grey (1204)



Dover Grey (1205)



Black Maquina (1206)



Crema Marfil (1207)



Jasper Grey (1208)



Valley Beige (1209)



Volcano (1210)



Casper White (1211)



Madison (1212)

Technical Specifications

TYPE

Artisan Hybrid Tiles

DIMENSIONS

620 x 310 x 9mm

1.5376m² / 8pcs / box

(7/0.5mm SPC + 2mm EVA)

PROFILE

Floating Floor (Licensed Click System)

FIRE RATING

CHF - Passed the AS ISO 9239.1 Standard as required by the Australian National Construction Code.

SLIP RATING

AS4586 (2013) Slip Resistance Classification of New Pedestrian Surface Materials
Appendix A - Wet Pendulum Test
Achieved a Pass of P4

ACOUSTIC RATING

Achieved AAAC 5 Star Acoustic Rating


ENVIRONMENTAL & QUALITY CERTIFICATES

VOC EO (Volatile Organic Compound)
ISO9000 Quality Control System and
ISO14000 Environment Control System

STRUCTURAL WARRANTY *

Lifetime Structural Warranty

STRUCTURE



QUIET INTEGRATED SOUND REDUCTION UNDERLAY

Bonded cross-linked underlayment minimises impact and transmitted sounds, simultaneously providing underfoot warmth, comfort and mitigates sub-floor imperfections.

LUXURY RIGID CORE INTEGRATED WITH CLICK LOCKING

100% phthalate-free extruded closed-cell core provides exceptional rigidity, dimensional stability, and anti-telegraphing performance. Innovative locking system enables quick, easy installation.

VINYL WEAR LAYER & HD DECORATIVE FILM

Hardened vinyl wear layer provides excellent resistance to scuffs and abrasions. High definition film creates vivid, natural wood looks.

URETHANE WITH CERAMIC BEAD FINISH

UV Cured urethane and ceramic bead top coating for enhanced durability stain resistance, easy care and maintenance

DISCLAIMERS

* For full details, terms, and conditions, please refer to the official warranty documents available on our website.

Combining quality and environmental control standards throughout the manufacturing process — creating truly Elevated Spaces.



International
Organization for
Standardization



We elevate space through high-quality, sustainably sourced timber flooring.

As Australia's leading importer and supplier, we curate an exclusive selection of solid timber, engineered, laminate, and hybrid planks.



BLACKBUTT (1908)

TOPDECK FLOORING

T: +61 2 9748 2288

E: info@topdeckflooring.com.au

W: www.topdeckflooring.com.au

A: 16 Salisbury St, Silverwater NSW 2128

© 2025 Topdeck Flooring. No part of this brochure may be reproduced without permission.