# TOPDECK



HERITAGE

# Contents


**DISCOVER TOPDECK HERITAGE** 03 — 05

- Heritage 03
- Heritage at a glance 04
- Heritage in the specification 05

**RAW SOLID TIMBER** 06 — 10

- Raw Blackbutt 07
- Raw Spotted Gum 08
- Technical Specifications 09 — 10

**PRE-FINISHED SOLID TIMBER** 11 — 21

- Kempas 12
- Pacific Spotted Gum 13
- Pacific Blackbutt 14
- Spotted Gum 15
- Blackbutt 16
- Red Ironbark 17
- Grey Ironbark 18
- Cumaru / Brazilian Teak 19
- Jatoba 20
- Technical Specifications 21

**THE LADDER · DOWNLOADS · ELSEWHERE** 22 — 23

01

# HERITAGE

Solid timber. Cut from a single piece, milled to spec, delivered to Sydney for site finishing or pre-finished ready to lay. Two finish options, nine species, one register. The halo line.

SPECIES

## Nine Australian and imported hardwoods

FINISHES

## Raw Pre-Finished

ABOUT HERITAGE

# Heritage is sold by enquiry. The range is milled from the raw material we hold at the time — and that changes with the season.

Solid timber is not a warehouse product. A dry season yields one species in volume; the next yields something else. What we can offer is what the forest gave us — so the species, grades, and lengths in stock move through the year.

That is the point of the line, not a limitation of it. Every Heritage floor is drawn from a finite parcel of a single species, milled and graded as it comes. Enquire for current availability and we will tell you exactly what is on the floor that week.

The range is offered in two finishes. Raw boards are site-finished — the installer sands, fills, and coats on the ground, so sheen and colour are set at completion.

Pre-finished boards arrive coated and are laid ready.


WORKING SPECIFICATION

| | |
|---|---|
| SPECIES | Australian and imported hardwoods |
| GRADE | Standard & Better / Select |
| LENGTH | 1,500 – 2,120 mm |
| WIDTH | 90 – 130 mm |
| THICKNESS | 14 – 18 mm |
| PROFILE | Tongue & groove |
| LOCKING | Glue and nail |
| AVAILABILITY | By enquiry — stock varies seasonally |

# Raw Solid Timber

Milled, unfinished, delivered to site.
The sheen, stain, and tone is confirmed at the moment of completion.







# Raw Blackbutt

## Eucalyptus pilularis

JANKA 9.1 KN · DENSITY 900 KG/M³ · NSW + QLD COASTAL

Blackbutt is a working hardwood of the New South Wales and southern Queensland coastal forests.



RAW · SURFACE

# Raw Spotted Gum

## Corymbia maculata

JANKA 11 KN · DENSITY 950 KG/M³ · NSW + QLD COASTAL

Spotted gum's defining feature is its colour range — pale yellow to mid-grey across a single floor, sometimes within a single board.



# Technical Specifications

| | |
|---|---|
| TYPE | Raw Solid Timber |
| DIMENSIONS | 1,820 – 2,120 × 92 – 120 × 14 mm<br>1,800 – 2,120 × 92 – 120 × 18 mm<br>Varying m² per box |
| GRADE & PROCESS | Standard & Better / Select<br>Tight and filled knots and natural characteristics expected |
| PROFILE | Tongue & groove |
| HARDNESS | Refer to each species page |
| COATING FINISH | Raw — unfinished<br>Coating applied on site |
| FIRE RATING | CHF 5.6 kW/m² |
| SLIP RATING | SRV P1 per AS 4586 (2013) |
| ENVIRONMENTAL | VOC E0 (0.014 mg/m³) — test report on page 23 |
| STRUCTURAL WARRANTY | Lifetime Structural Warranty * |

## Raw boards arrive without finish. The site decides the sheen.

Raw solid timber is supplied for site finishing — sanded smooth at install, filled where the architect specifies, then coated with the system the project requires. The decision is editorial: oil for matt acoustic absorption, polyurethane for harder protection, hard-wax oil for the long-life compromise.

Topdeck's raw timber is milled in Standard & Better and Select grades. Tight knots, filled gum vein, and tonal variation are expected as part of the species' character — not defects.

The Lifetime Structural Warranty extends to the board itself, independent of the chosen on-site finish. Topdeck does not warrant third-party coating systems; the installer or finish manufacturer carries that warranty separately.



*Timber is a natural material. Colour, grain, and texture vary board to board and from what is shown here. View a current sample before specifying.*

# Heritage is sold trade-only and by enquiry. What is available is milled from the raw material we hold that season.

## WARRANTY

A Lifetime Structural Warranty covers the timber itself — its structural integrity, the milling tolerance, and the species identification. Full terms are set out in the Limited Warranty, linked on page 23.

## DISCLAIMER

Timber is a natural material. Colour, grain, and texture will vary from the representations shown on screen or in printed media. View a current sample before specifying. Topdeck does not warrant third-party coating systems.



# Pre-Finished Solid Timber

Coated with twelve layers of water-based polyurethane and laid ready. The colour at delivery is the colour the client approved



# Kempas

## Koompassia malaccensis

JANKA 9 KN · INDONESIA / MALAYSIA · PRE-FINISHED

Kempas is a tropical hardwood of Indonesia and Malaysia, with a warm reddish-brown heartwood and a fine, even grain.

# Pacific Spotted Gum

## Asian Pacific Hardwood

JANKA 11 KN · ASIA-PACIFIC · PRE-FINISHED

A distinct Asia-Pacific hardwood carrying the earthy brown-and-grey range of the spotted gum family — its own timber, pre-finished and ready to lay.







# Pacific Blackbutt

## Asian Pacific Hardwood

JANKA 11.8 KN · ASIA-PACIFIC · PRE-FINISHED

A distinct Asia-Pacific hardwood — soft golden hues with subtle pink undertones and a clean grain, bright and warm underfoot.



# Spotted Gum

## *Corymbia maculata*

JANKA 11 KN · AUSTRALIA · PRE-FINISHED

Pre-finished spotted gum is the same species shown raw on p8 — Corymbia maculata from the coastal forests of NSW and southern Queensland.







# Blackbutt

## Eucalyptus pilularis

JANKA 9.1 KN · AUSTRALIA · PRE-FINISHED

The pre-finished counterpart to Heritage's Raw Blackbutt (p7).





# Red Ironbark

## Eucalyptus sideroxylon

JANKA 13 KN · AUSTRALIA · PRE-FINISHED

A dense Australian eucalypt, the deepest red in the Heritage range, hard-wearing and warm in tone.





# Grey Iron Bark

## Eucalyptus paniculata

JANKA 14 KN · AUSTRALIA · PRE- FINISHED

Red Ironbark's structural sibling — the same dense, hard-wearing Australian eucalypt in a cooler grey-brown.

# Cumaru

## Dipteryx odorata

JANKA 15.7 KN · BRAZIL · PRE-FINISHED

Cumaru — known on the trade as Brazilian teak — is a dense tropical hardwood of the Brazilian Amazon, with a warm brown heartwood that reads consistently across boards.







# Jatoba

## Hymenaea courbaril

JANKA 12 KN · BRAZIL · PRE-FINISHED

Jatoba — known on the trade as Brazilian cherry — is the deep red-brown counterpart to cumaru in the Brazilian section of the Heritage range.



# Technical Specifications

| | |
|---|---|
| TYPE | Pre-Finished Solid Timber |
| DIMENSIONS | 1,500 – 2,100 × 90 – 130 × 18 mm<br>Varying m² per box |
| GRADE & PROCESS | Standard & Better / Select<br>Tight and filled knots and natural characteristics expected |
| PROFILE | Tongue & groove |
| HARDNESS | Refer to each species page |
| COATING FINISH | 12 layers PPG water-based polyurethane |
| FIRE RATING | CHF 5.6 kW/m² |
| SLIP RATING | SRV P1 per AS 4586 (2013) |
| ENVIRONMENTAL | VOC E0 (0.014 mg/m³) — test report on page 23 |
| STRUCTURAL WARRANTY | Lifetime Structural Warranty * |
| COATING WARRANTY | 10 Years Residential<br>5 Years<br>Commercial |

## Pre-finished boards arrive at site coated. The architecture decides everything else.

Pre-finished solid timber removes the on-site coating step from the construction program. Boards are sanded, sealed, and coated with twelve layers of PPG water-based polyurethane at the factory; on-site installation involves tongue-and-groove laying, expansion-gap detailing, and the final clean — nothing more.

The coating is rated for 10 years in residential and 5 years in commercial schedules. Beyond that horizon, the surface can be screened and re-coated without lifting the boards.

The Lifetime Structural Warranty on the timber itself runs in parallel and is unaffected by coating wear.

FIRE CHF 5.6 KW/M² · SLIP P1 (AS 4586) · VOC E0 — TEST REPORTS ON PAGE 23

*Timber is a natural material. Colour, grain, and texture vary board to board and from what is shown here. View a current sample before specifying.*



# Heritage is the halo. Solid timber, milled to settle into the building.

# The documents that follow the brochure.

Topdeck Solid Timber documentation lives on the website. Each QR opens the relevant resource — installation, care, warranty, and the fire, slip, and environmental certificates.

| | | |
|---|---|---|
| Installation Guidelines | PDF | |
| Maintenance & Care | PDF | |
| Warranty | PDF | |
| Fire Rating | PDF | |
| Slip Rating | PDF | |
| Environment Certificate | PDF | |

# TOPDECK

Elevating interiors in Australia since 2003.

16 SALISBURYSTREET, SILVERWATER NSW 2128 · TOPDECKFLOORING.COM.AU