TOPDECK



RHINE

Contents

DISCOVER TOPDECK RHINE 03 — 05

Rhine 03

Rhine at a glance 04

Rhine in the specification 05

THE COLOURS 06 — 31

Pearl White 07

Soft Pale Oak 08

Champagne 09

Wheat 10

Prague Natural 11

British Oak Natural 12

Cromer Oak 13

Limed Ash 14

Oyster Bay 15

Monica Grey 16

Boathouse 17

Rome Grey 18

Amaretti Oak 19

Camden Oak 20

Panania Oak 21

Hamilton Oak 22

Wheldon Oak 23

Charleston Oak 24

Florence Oak 25

Winston Hill 26

Chateau 27

Vintage Mocha 28

Marrone Oak 29

Truffle Oak 30

Black Amber 31

TECHNICAL SPECIFICATIONS 32

DOWNLOADS · ELSEWHERE 33 — 34



CHAPTER 03 — ENGINEERED EURO OAK

RHINE

AT A GLANCE

Slow-grown European oak, milled to long format.

Twenty-five colours across plank, chevron and herringbone. One oak, one register.

24 COLOURS Pearl White through Black Amber	03 FORMATS Plank · Chevron · Herringbone	3MM WEAR LAYER Sawn oak veneer · 2mm Project Oak plank
14MM PROFILE On a multi-ply core	09 LAYERS OF LACQUER Sherwin-Williams ultra matte	E0 VOC RATING 0.014 mg/m³ · fire and slip certified per format

IN THE SPECIFICATION

One oak, three geometries. A colour for every scheme.

Rhine is slow-grown European oak, engineered.

Each board carries a sawn European oak wear layer on a multi-ply core, 14mm overall — sourced slow-grown from Pomerania, finished with nine layers of Sherwin-Williams ultra matte lacquer, and graded in the European tradition, where knots and mineral streak are character rather than defect.

Twenty-five colours run from Pearl White to Black Amber across three formats: the 1900mm plank — with a 2mm-wear Project Oak construction at a tighter specification point — the 780mm chevron, and the 600mm herringbone block. Colours repeat across formats, so a scheme can change geometry between rooms without changing colour.

TRADE ENQUIRY →

SPECIES	European Oak, slow-grown
CONSTRUCTION	3mm sawn veneer · multi-ply core Project Oak plank: 2mm veneer
THICKNESS	14mm overall
FORMATS	Plank 1900 × 190 · Chevron 780 × 125 Herringbone 600 × 120
GRADE	ABCD (chevron: ABC)
FINISH	9 layers Sherwin-Williams ultra matte lacquer
EDGE	Micro bevelled
HARDNESS	Janka 6.8 kN
WARRANTY	Lifetime structural · 20 / 10 yr coating
PRICE TIER	On application — trade only



SECTION 01

The Colours

Twenty-five, light to dark. Formats noted per colour.

PEARL WHITE — HERRINGBONE

EUROPEAN OAK — 01

Pearl White

A pure near-white oak that brings light and space to a plan

WEAR 3MM / 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The palest board in the range. Specifiers use it to open small plans and to hold white schemes together; the oak grain keeps it from reading as paint.

PLANK — AS INSTALLED






FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P01
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-P01H



HERRINGBONE

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 02

Soft Pale Oak

A restrained near-white oak that reads as natural rather than bleached

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

White schemes without the chalk. The stain sits lightly, so the grain and the occasional knot still read at close range.




PLANK — AS INSTALLED




FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-705
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-705C
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-705H



CHEVRON



HERRINGBONE

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 03

Champagne

A warm pale oak with a faint golden blush

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The warm route to a pale floor. Champagne holds its gold under cool lighting schedules where whiter oaks drift grey.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-706
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-706C



CHEVRON

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 04

Wheat

A pale neutral oak with gentle golden undertones

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The brightest of the warm pales. Wheat holds light in plans that face away from it, and keeps a pale scheme from drifting grey.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-704-N

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 05

Prague Natural

A classic oak balanced toward the natural colour of the board

WEAR 3MM / 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Neither pale nor brown — the middle of the oak register. A default for programs that want the floor quiet.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P02
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-P02H



HERRINGBONE

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 06


British Oak Natural

The unadorned oak — natural, unstained, the timber as it is

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

No stain, full character: knots, mineral streak, and tonal variation as milled. The reference point the rest of the palette is read against.

PLANK — AS INSTALLED






FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-708
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-708C



CHEVRON

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 07

Cromer Oak

Soft honeyed tones with a quiet grain structure

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Honey without amber. Cromer sits between the naturals and the caramels, and carries an open plan without banding.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-701
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-701C



CHEVRON

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 08

Limed Ash

A cool washed grey-brown with a chalked surface

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The limed surface reads strongest in oblique light, where the chalk sits in the grain. Coastal in register, architectural in read.




PLANK — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-704
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-704C



CHEVRON

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 09

Oyster Bay

A soft silvered grey with warm undertones

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Grey that does not go cold. The warm base keeps plaster and stone palettes from flattening.



PLANK — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-710
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-710C



CHEVRON

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 10

Monica Grey

A considered mid-grey with subtle warmth

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Offered across all three formats — plank, chevron and herringbone — so a scheme can change geometry between rooms without changing colour.

PLANK — AS INSTALLED






FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-711
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-711C
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-711H



CHEVRON



HERRINGBONE

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 11


Boathouse

Weathered grey-brown with silvered highlights

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Reclaimed-timber character on a stable engineered board {D} strongest in the patterned formats, where the weathering reads across the geometry.

HERRINGBONE — AS INSTALLED






FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-707
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-707C
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-707H



PLANK



CHEVRON

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 12


Rome Grey

A cooled deep grey with hints of brown

WEAR 3MM / 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The darkest of the greys — architectural rather than stark, in herringbone and the Project 2mm plank.

HERRINGBONE — AS INSTALLED






FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P06
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-P06H



PLANK

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 13

Amaretti Oak

Warm caramel undertones and balanced grain

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The caramel middle of the palette. Settles into both contemporary and classical interiors without asking for attention.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-702
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-702C



CHEVRON

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 14

Camden Oak

A mid-toned warm oak with visible grain

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The dependable anchor of the range — mid-toned, even, and difficult to put in the wrong room.




PLANK — AS INSTALLED




FORMATS

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-712
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-712C
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-712H

TECHNICAL SPECIFICATION — P32 →



CHEVRON



HERRINGBONE

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 15

Panania Oak


A confident mid-brown with pronounced grain

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The pronounced grain gives the patterned formats their texture, and carries the plank at full length.



CHEVRON — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-703
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-703C
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-703H



PLANK



HERRINGBONE

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 16

Hamilton Oak

A warm mid-brown with traditional oak character

WEAR 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The traditional oak register at plank scale, balanced for residential and commercial specification.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P10

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 17


Wheldon Oak

A warm natural oak with prominent grain and knot detail

WEAR 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The most figured board in the plank line — knots and grain read as character, in the European grading tradition.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P09

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 18

Charleston Oak


A textured warm oak with movement across the board

WEAR 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Movement rather than colour contrast. Charleston patterns a floor gently, board by board.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P11

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 19

Florence Oak

Rich earthy tones with subtle grain detail

WEAR 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The deepest of the warm mid-browns before the palette turns dark. Reads earthen rather than red.

PLANK — AS INSTALLED





FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P12

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 20

Winston Hill

A rich warm brown with traditional oak character

WEAR 3MM / 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Offered in both plank constructions and the herringbone block — the full-wear plank, the 2mm Project Oak plank, and the pattern.




PLANK — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-713
Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P03
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-713H



HERRINGBONE

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 21

Chateau


A rich heritage oak with deep warm undertones

WEAR 3MM / 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

European interior tradition on a stable board. Strongest in rooms with joinery to answer it.



HERRINGBONE — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P04
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-P04H



PLANK

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.


EUROPEAN OAK — 22

Vintage Mocha

A mature coffee-brown with subtle red tones

WEAR 3MM / 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Warmer and softer than a straight dark stain. The red undertone keeps the floor alive in low light.




PLANK — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P07
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-P07H



HERRINGBONE

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 23

Marrone Oak


A dark chestnut oak with red-brown warmth

WEAR 3MM / 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The dark chestnut blocks give herringbone weight and rhythm; the Project 2mm plank carries the colour at length.



HERRINGBONE — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P05
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-P05H



PLANK

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 24

Truffle Oak

A deep brown with distinctive graining

WEAR 3MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

The chevron at its darkest — the point of the pattern reads against the deep ground — with a full-length plank alongside.




CHEVRON — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank	1900 × 190 × 3/14mm	2.166m² · 6pcs	TD-RHI-709
Chevron	780 × 125 × 3/14mm	1.95m² · 20pcs	TD-RHI-709C



PLANK

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

EUROPEAN OAK — 25

Black Amber


The deepest tone in the range — near-black with amber undertones

WEAR 3MM / 2MM
JANKA 6.8 KN
MULTI-PLY CORE · 14MM

Near-black until warm light finds the amber. The strongest statement in the palette, in plank and herringbone.



HERRINGBONE — AS INSTALLED



FORMATS

TECHNICAL SPECIFICATION — P32 →

Plank · Project 2mm	1900 × 190 × 2/14mm	2.166m² · 6pcs	TD-RHI-P08
Herringbone	600 × 120 × 3/14mm	1.44m² · 20pcs	TD-RHI-P08H



PLANK

As timber is a natural product, colour, pattern and texture may vary from the representations shown in electronic or printed media.

ALL FORMATS

One oak.
Three geometries.

PLANK

DIMENSIONS	1900 × 190 × 3/14mm Project Oak: 1900 × 190 × 2/14mm
WEAR LAYER	3mm (Project Oak: 2mm)
GRADE	ABCD
CONTAINS	2.166m² · 6 pcs
FIRE RATING	CHF 4.1 kW/m² Project Oak: CHF 3.6 kW/m²
SLIP RATING	SRV P3 (Project Oak: P4) AS 4586:2013

CHEVRON

DIMENSIONS	780 × 125 × 3/14mm
WEAR LAYER	3mm
GRADE	ABC
CONTAINS	1.95m² · 20 pcs
FIRE RATING	CHF 3.9 kW/m²
SLIP RATING	SRV P2 AS 4586:2013

HERRINGBONE

DIMENSIONS	600 × 120 × 3/14mm
WEAR LAYER	3mm
GRADE	ABCD
CONTAINS	1.44m² · 20 pcs
FIRE RATING	CHF 4.3 kW/m²
SLIP RATING	SRV P3 AS 4586:2013

SPECIES	European Oak, slow-grown
FINISH	9 layers Sherwin-Williams ultra matte lacquer
EDGE	Micro bevelled
CORE	Multi-ply · 14mm overall
VOC	E0 (0.014 mg/m³)
WARRANTY	Lifetime structural · 20 yr res / 10 yr comm coating

TRADE ENQUIRY →

Combining quality and environmental control standards throughout the manufacturing process — building floors that settle into the architecture.

Rhine is the European register. Slow-grown oak, milled to long format, ready to lay.

The documents that follow the brochure.

Rhine Specification Sheet
PDF



Installation Guide
PDF



Care and Maintenance
PDF



Fire Test Reports — CHF 3.6–4.3 kW/m²
PDF · PER FORMAT · AS ISO 9239.1



Slip Resistance — P2–P4
PDF · PER FORMAT · AS 4586



VOC Emissions — E0
PDF



QR CODES ENCODE TOPDECKFLOORING.COM.AU/COLLECTIONS/RHINE — GENERATE IN CANVA AT 25 × 25MM

Rhine is the European register. The rest of the line is elsewhere.




HERITAGE



PROVENANCE



PANTORA



CORE

TRADE ENQUIRY

Specify, sample, and price the Rhine range.

TRADE@TOPDECKFLOORING.COM.AU →

+61 2 9748 2288

FIND A STOCKIST

Twelve showrooms across Australia and New Zealand.

TOPDECKFLOORING.COM.AU/STOCKISTS →

TOPDECK FLOORING

16 Salisbury Street, Silverwater NSW 2128 · +61 2 9748 2288 · info@topdeckflooring.com.au · topdeckflooring.com.au

© 2026 Topdeck Flooring. No part of this brochure may be reproduced without permission.